1. Sandlund, J., et al., *Acuity of goal-directed arm movements to visible targets in chronic neck pain*. J Rehabil Med, 2008. 40(5): p. 366-74 **[D4797]** 

- 2. Ammendolia, C., et al., *Adherence to radiography guidelines for low back pain: a survey of chiropractic schools worldwide*. J Manipulative Physiol Ther, 2008. 31(6): p. 412-8 **{D4751}**
- 3. Hoogendoorn, R.J., et al., *Adjacent segment degeneration: observations in a goat spinal fusion study*. Spine, 2008. 33(12): p. 1337-43 **{D4190}**
- 4. Szalay, E.A., et al., *Adolescents with idiopathic scoliosis are not osteoporotic*. Spine, 2008. 33(7): p. 802-6 {D4168}
- 5. Miller, J.E., et al., Adverse effects of spinal manipulative therapy in children younger than 3 years: a retrospective study in a chiropractic teaching clinic. J Manipulative Physiol Ther, 2008. 31(6): p. 419-23 {D4017}
- 6. Rubinstein, S.M., Adverse events following chiropractic care for subjects with neck or low-back pain: do the benefits outweigh the risks? J Manipulative Physiol Ther, 2008. 31(6): p. 461-4 {D4019}
- 7. Sanfilippo, J.A., et al., *All-terrain vehicles and associated spinal injuries*. Spine, 2008. 33(18): p. 1982-5 **[D4238]**
- 8. Woodhouse, A., et al., *Altered motor control patterns in whiplash and chronic neck pain*. BMC Musculoskelet Disord, 2008. 9: p. 90 {D4411}
- 9. Taylor, H.H., et al., *Altered sensorimotor integration with cervical spine manipulation*. J Manipulative Physiol Ther, 2008. 31(2): p. 115-26 **{D4004}**
- 10. Braker, C., et al., *The analgesic effect of botulinum-toxin A on postwhiplash neck pain*. Clin J Pain, 2008. 24(1): p. 5-10 {D4819}
- 11. Gremeaux, V., et al., *Analysis of low back pain in adults with scoliosis*. Spine, 2008. 33(4): p. 402-5 {D4127}
- 12. Stemper, B.D., et al., *Anatomical gender differences in cervical vertebrae of size-matched volunteers*. Spine, 2008. 33(2): p. E44-9 {D4121}
- 13. Sterling, A.C., et al., *Annual frequency and magnitude of neck motion in healthy individuals*. Spine, 2008. 33(17): p. 1882-8 {**D4223**}
- 14. Urquhart, D.M., et al., *Antidepressants for non-specific low back pain*. Cochrane Database Syst Rev, 2008(1): p. CD001703 {**D5103**}
- 15. Siegmund, G.P., et al., Are cervical multifidus muscles active during whiplash and startle? An initial experimental study. BMC Musculoskelet Disord, 2008. 9: p. 80 {D4412}
- 16. Kongsted, A., et al., Are early MRI findings correlated with long-lasting symptoms following whiplash injury? A prospective trial with 1-year follow-up. Eur Spine J, 2008. 17(8): p. 996-1005 {D4441}
- 17. Kall, L.B., et al., Assessing pain perception using the Painmatcher in patients with whiplash-associated disorders. J Rehabil Med, 2008. 40(3): p. 171-7 {D4460}
- 18. Bunketorp Kall, L., Assessment of motion in the cervico-thoracic spine in patients with subacute whiplash-associated disorders. J Rehabil Med, 2008. 40(6): p. 418-25 {D4459}
- 19. Nordin, M., et al., Assessment of neck pain and its associated disorders: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S101-22 {D4142}
- 20. Wuertz, K., et al., *Behavior of mesenchymal stem cells in the chemical microenvironment of the intervertebral disc.* Spine, 2008. 33(17): p. 1843-9 {D4219}
- 21. Sloan, T.J., et al., *Beliefs about the causes and consequences of pain in patients with chronic inflammatory or noninflammatory low back pain and in pain-free individuals*. Spine, 2008. 33(9): p. 966-72 **{D4180}**
- 22. Bergholdt, K., et al., *Better backs by better beds?* Spine, 2008. 33(7): p. 703-8 {D4165}
- 23. Nourbakhsh, A., et al., *Bilateral isthmic L3 spondylolisthesis in an adult female*. J Manipulative Physiol Ther, 2008. 31(2): p. 160-3 **[D4710]**
- 24. Moon, S.H., et al., *Biologic response of human intervertebral disc cells to gene therapy cocktail.* Spine, 2008. 33(17): p. 1850-5 {D4220}
- 25. Shimamura, Y., et al., *The biologic response to particles from a potential disc prosthesis material*. Spine, 2008. 33(4): p. 351-5 {D4126}
- 26. Natarajan, R.N., et al., *Biomechanical response of a lumbar intervertebral disc to manual lifting activities: a poroelastic finite element model study.* Spine, 2008. 33(18): p. 1958-65 **[D4236]**
- 27. Ahn, H.S., et al., *A biomechanical study of artificial cervical discs using computer simulation*. Spine, 2008. 33(8): p. 883-92 **[D4173]**

28. Dang, A.B., et al., Biomechanics of the anterior longitudinal ligament during 8 g whiplash simulation following single- and contiguous two-level fusion: a finite element study. Spine, 2008. 33(6): p. 607-11 {D4490}

- 29. Haldeman, S., et al., *The Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders: executive summary*. Spine, 2008. 33(4 Suppl): p. S5-7 {D4131}
- 30. Gerdle, B., et al., Bradykinin and kallidin levels in the trapezius muscle in patients with work-related trapezius myalgia, in patients with whiplash associated pain, and in healthy controls A microdialysis study of women. Pain, 2008: p. {D4479}
- 31. Hogg-Johnson, S., et al., The burden and determinants of neck pain in the general population: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S39-51 {D4136}
- 32. Holm, L.W., et al., The burden and determinants of neck pain in whiplash-associated disorders after traffic collisions: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S52-9 {D4492}
- 33. Cote, P., et al., The burden and determinants of neck pain in workers: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S60-74 {D4138}
- 34. Gabel, C.P., et al., Can long-term impairment in general practitioner whiplash patients be predicted using screening and patient-reported outcomes? Int J Rehabil Res, 2008. 31(1): p. 79-80 {D4448}
- 35. Buitenhuis, J., et al., *Catastrophizing and causal beliefs in whiplash*. Spine, 2008. 33(22): p. 2427-33; discussion 2434 **[D4484]**
- 36. Borsbo, B., et al., Catastrophizing, depression, and pain: correlation with and influence on quality of life and health a study of chronic whiplash-associated disorders. J Rehabil Med, 2008. 40(7): p. 562-9 {D4458}
- 37. Grip, H., et al., Cervical helical axis characteristics and its center of rotation during active head and upper arm movements-comparisons of whiplash-associated disorders, non-specific neck pain and asymptomatic individuals. J Biomech, 2008. 41(13): p. 2799-805 {D4450}
- 38. Manchikanti, L., et al., Cervical medial branch blocks for chronic cervical facet joint pain: a randomized, double-blind, controlled trial with one-year follow-up. Spine, 2008. 33(17): p. 1813-20 {D4215}
- 39. Prushansky, T., et al., *Cervical motion testing: methodology and clinical implications*. J Manipulative Physiol Ther, 2008. 31(7): p. 503-8 {D4021}
- 40. Dvir, Z., et al., *Cervical muscles strength testing: methods and clinical implications*. J Manipulative Physiol Ther, 2008. 31(7): p. 518-24 **{D4023}**
- 41. Murphy, D.R., et al., *Cervical myelopathy: a case report of a "near-miss" complication to cervical manipulation*. J Manipulative Physiol Ther, 2008. 31(7): p. 553-7 {D4713}
- 42. Humphreys, B.K., *Cervical outcome measures: testing for postural stability and balance*. J Manipulative Physiol Ther, 2008. 31(7): p. 540-6 **[D4031]**
- 43. Giordano, B.D., et al., Cervical spine imaging using standard C-arm fluoroscopy: patient and surgeon exposure to ionizing radiation. Spine, 2008. 33(18): p. 1970-6 {D4237}
- 44. Donaldson, W.F., 3rd, et al., *Cervical spine injuries associated with the incorrect use of airbags in motor vehicle collisions*. Spine, 2008. 33(6): p. 631-4 {D4161}
- 45. Schneider, M., Changes in pressure pain sensitivity in latent myofascial trigger points in the upper trapezius muscle after a cervical spine manipulation in pain-free subjects. J Manipulative Physiol Ther, 2008. 31(3): p. 251; author reply 251-2 {D4707}
- 46. Fernandez-de-Las-Penas, C., et al., *Changes in pressure pain thresholds over C5-C6 zygapophyseal joint after a cervicothoracic junction manipulation in healthy subjects*. J Manipulative Physiol Ther, 2008. 31(5): p. 332-7 {D4014}
- 47. Sowa, G., et al., Characterization of intervertebral disc aging: longitudinal analysis of a rabbit model by magnetic resonance imaging, histology, and gene expression. Spine, 2008. 33(17): p. 1821-8 {D4216}
- 48. Johnson, C., et al., *Chiropractic and public health: current state and future vision*. J Manipulative Physiol Ther, 2008. 31(6): p. 397-410 {D4729}
- 49. Davis, M.A., et al., *The chiropractic healer*. J Manipulative Physiol Ther, 2008. 31(4): p. 323-7 {D4746}
- 50. Globe, G.A., et al., *Chiropractic management of low back disorders: report from a consensus process.* J Manipulative Physiol Ther, 2008. 31(9): p. 651-8 {D4035}

51. Lawrence, D.J., et al., *Chiropractic management of low back pain and low back-related leg complaints: a literature synthesis*. J Manipulative Physiol Ther, 2008. 31(9): p. 659-74 **[D4036]** 

- 52. Stuber, K.J., et al., *Chiropractic treatment of pregnancy-related low back pain: a systematic review of the evidence.* J Manipulative Physiol Ther, 2008. 31(6): p. 447-54 {D4018}
- 53. McHardy, A., et al., *Chiropractic treatment of upper extremity conditions: a systematic review.* J Manipulative Physiol Ther, 2008. 31(2): p. 146-59 **(D4006)**
- 54. Vernon, H., et al., Chronic mechanical neck pain in adults treated by manual therapy: a systematic review of change scores in randomized controlled trials of a single session. J Man Manip Ther, 2008. 16(2): p. E42-52 {D4540}
- 55. Mayer, T.G., et al., Chronic widespread pain in patients with occupational spinal disorders: prevalence, psychiatric comorbidity, and association with outcomes. Spine, 2008. 33(17): p. 1889-97 {D4224}
- 56. Han, I.H., et al., Clinical approach and surgical strategy for spinal diseases in pregnant women: a report of ten cases. Spine, 2008. 33(17): p. E614-9 {D4226}
- 57. Jull, G.A., et al., *Clinical assessment of the deep cervical flexor muscles: the craniocervical flexion test.* J Manipulative Physiol Ther, 2008. 31(7): p. 525-33 {D4024}
- 58. Kaale, B.R., et al., Clinical assessment techniques for detecting ligament and membrane injuries in the upper cervical spine region--a comparison with MRI results. Man Ther, 2008. 13(5): p. 397-403 {D4807}
- 59. Haswell, K., et al., *Clinical decision rules for identification of low back pain patients with neurologic involvement in primary care*. Spine, 2008. 33(1): p. 68-73 **[D4106]**
- 60. Ravi, B., et al., *Clinical magnification error in lateral spinal digital radiographs*. Spine, 2008. 33(10): p. E311-6 {**D4184**}
- 61. Guzman, J., et al., Clinical practice implications of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders: from concepts and findings to recommendations. Spine, 2008. 33(4 Suppl): p. S199-213 {D4149}
- 62. Kirby, R.L., et al., Comparing performance of manual wheelchair skills using new and conventional rear anti-tip devices: randomized controlled trial. Arch Phys Med Rehabil, 2008. 89(3): p. 480-5 {D4802}
- 63. Wilkey, A., et al., A comparison between chiropractic management and pain clinic management for chronic low-back pain in a national health service outpatient clinic. J Altern Complement Med, 2008. 14(5): p. 465-73 {D4539}
- 64. Unlu, Z., et al., Comparison of 3 physical therapy modalities for acute pain in lumbar disc herniation measured by clinical evaluation and magnetic resonance imaging. J Manipulative Physiol Ther, 2008. 31(3): p. 191-8 {D4009}
- 65. Treleaven, J., et al., Comparison of sensorimotor disturbance between subjects with persistent whiplash-associated disorder and subjects with vestibular pathology associated with acoustic neuroma. Arch Phys Med Rehabil, 2008. 89(3): p. 522-30 {D4408}
- 66. Garges, K.J., et al., *A comparison of the torsional stiffness of the lumbar spine in flexion and extension*. J Manipulative Physiol Ther, 2008. 31(8): p. 563-9 **[D4743]**
- 67. Yonetake, T., et al., *Compensatory neovascularization after cauda equina compression in rats*. Spine, 2008. 33(2): p. 140-5 {D4114}
- 68. Endo, K., et al., *Consciously postural sway and cervical vertigo after whiplash injury*. Spine, 2008. 33(16): p. E539-42 **[D4488]**
- 69. Dionne, C.E., et al., A consensus approach toward the standardization of back pain definitions for use in prevalence studies. Spine, 2008. 33(1): p. 95-103 {D4110}
- 70. Gray, D.T., et al., *Costs and state-specific rates of thoracic and lumbar vertebroplasty*, 2001-2005. Spine, 2008. 33(17): p. 1905-12 {D4225}
- 71. Carroll, L.J., et al., Course and prognostic factors for neck pain in the general population: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S75-82 {D4139}
- 72. Carroll, L.J., et al., Course and prognostic factors for neck pain in whiplash-associated disorders (WAD): results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S83-92 {D4491}
- 73. Carroll, L.J., et al., Course and prognostic factors for neck pain in workers: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S93-100 {D4141}
- 74. Kamper, S.J., et al., *Course and prognostic factors of whiplash: a systematic review and meta-analysis*. Pain, 2008. 138(3): p. 617-29 {D4478}

75. Scharovsky, A., et al., *Cross-cultural adaptation and validation of the Argentinean version of the Roland-Morris Disability Questionnaire*. Spine, 2008. 33(12): p. 1391-5 {D4193}

- 76. Aslan, E., et al., *The cultural adaptation, reliability and validity of neck disability index in patients with neck pain: a Turkish version study.* Spine, 2008. 33(11): p. E362-5 {D4188}
- 77. Kasch, H., et al., *Deep muscle pain, tender points and recovery in acute whiplash patients: a 1-year follow-up study.* Pain, 2008. 140(1): p. 65-73 {D4475}
- 78. Ha, K.Y., et al., Degeneration of sacroiliac joint after instrumented lumbar or lumbosacral fusion: a prospective cohort study over five-year follow-up. Spine, 2008. 33(11): p. 1192-8 {D4185}
- 79. Myburgh, C., et al., *The development of contemporary chiropractic education in denmark: an exploratory study*. J Manipulative Physiol Ther, 2008. 31(8): p. 583-92 {D4711}
- 80. Monticone, M., et al., *Development of the Italian version of the Neck Pain and Disability Scale, NPDS-I: cross-cultural adaptation, reliability, and validity.* Spine, 2008. 33(13): p. E429-34 {D4199}
- 81. Bussieres, A.E., et al., *Diagnostic imaging guideline for musculoskeletal complaints in adults-an evidence-based approach-part 2: upper extremity disorders*. J Manipulative Physiol Ther, 2008. 31(1): p. 2-32 {D4001}
- 82. Bussieres, A.E., et al., *Diagnostic imaging practice guidelines for musculoskeletal complaints in adults-an evidence-based approach-part 3: spinal disorders*. J Manipulative Physiol Ther, 2008. 31(1): p. 33-88 {D4002}
- 83. Lloyd, D., et al., *Differences in low back pain behavior are reflected in the cerebral response to tactile stimulation of the lower back*. Spine, 2008. 33(12): p. 1372-7 {D4191}
- 84. Macedo, L.G., et al., *Differences in range of motion between dominant and nondominant sides of upper and lower extremities*. J Manipulative Physiol Ther, 2008. 31(8): p. 577-82 {D4032}
- 85. van Wingerden, J.P., et al., Differences in standing and forward bending in women with chronic low back or pelvic girdle pain: indications for physical compensation strategies. Spine, 2008. 33(11): p. E334-41 {D4186}
- 86. Nieto, R., et al., *Disability in subacute whiplash patients: usefulness of the neck disability index*. Spine, 2008. 33(18): p. E630-5 {D4241}
- 87. Ettlin, T., et al., *A distinct pattern of myofascial findings in patients after whiplash injury*. Arch Phys Med Rehabil, 2008. 89(7): p. 1290-3 {D4406}
- 88. Tachihara, H., et al., *Do corticosteroids produce additional benefit in nerve root infiltration for lumbar disc herniation?* Spine, 2008. 33(7): p. 743-7 {D4166}
- 89. Upasani, V.V., et al., *Does obesity affect surgical outcomes in adolescent idiopathic scoliosis?* Spine, 2008. 33(3): p. 295-300 {D4123}
- 90. Alfonso, M., et al., Does the shape of the L5 vertebral body depend on the height of CT slices in the pedicle? Evaluation of the shape of the L5 vertebral body with a multicut CT scan. Spine, 2008. 33(1): p. E1-5 {D4113}
- 91. Al-khayer, A., et al., *Driver reaction time before and after treatment for lumbar radiculopathy*. Spine, 2008. 33(15): p. 1696-700 **[D4203]**
- 92. Petheram, T.G., et al., *Dropped head syndrome: a case series and literature review*. Spine, 2008. 33(1): p. 47-51 **[D4104]**
- 93. Korecki, C.L., et al., *Dynamic compression effects on intervertebral disc mechanics and biology*. Spine, 2008. 33(13): p. 1403-9 {D4195}
- 94. Croft, A.C., *Early aggressive care and symptomatic recovery from whiplash: comment on the article by Cote et al.* Arthritis Rheum, 2008. 59(4): p. 599-600; author reply 600 {D4409}
- 95. Franklin, G.M., et al., Early opioid prescription and subsequent disability among workers with back injuries: the Disability Risk Identification Study Cohort. Spine, 2008. 33(2): p. 199-204 {D4120}
- 96. Mior, S.A., et al., *Economic and resource status of the chiropractic profession in Ontario, Canada: a challenge or an opportunity*. J Manipulative Physiol Ther, 2008. 31(2): p. 104-14 {D4714}
- 97. van der Roer, N., et al., *Economic evaluation of an intensive group training protocol compared with usual care physiotherapy in patients with chronic low back pain*. Spine, 2008. 33(4): p. 445-51 {D4130}
- 98. Stanton, T., et al., *The effect of abdominal stabilization contractions on posteroanterior spinal stiffness*. Spine, 2008. 33(6): p. 694-701 {D4163}

99. Madsen, R., et al., *The effect of body position and axial load on spinal canal morphology: an MRI study of central spinal stenosis*. Spine, 2008. 33(1): p. 61-7 {D4105}

- 100. Jackson, A.R., et al., *Effect of compression and anisotropy on the diffusion of glucose in annulus fibrosus*. Spine, 2008. 33(1): p. 1-7 {D4101}
- 101. Niosi, C.A., et al., *The effect of dynamic posterior stabilization on facet joint contact forces: an in vitro investigation*. Spine, 2008. 33(1): p. 19-26 {D4102}
- 102. Sakai, Y., et al., The effect of muscle relaxant on the paraspinal muscle blood flow: a randomized controlled trial in patients with chronic low back pain. Spine, 2008. 33(6): p. 581-7 {D4159}
- 103. Djurasovic, M., et al., *The effect of obesity on clinical outcomes after lumbar fusion*. Spine, 2008. 33(16): p. 1789-92 **[D4210]**
- 104. Roy, R.A., et al., *Effects of a manually assisted mechanical force on cutaneous temperature*. J Manipulative Physiol Ther, 2008. 31(3): p. 230-6 {D4708}
- 105. Thomas, J.S., et al., *Effects of fear of movement on spine velocity and acceleration after recovery from low back pain*. Spine, 2008. 33(5): p. 564-70 {D4156}
- 106. Arroyo-Morales, M., et al., *Effects of myofascial release after high-intensity exercise: a randomized clinical trial.* J Manipulative Physiol Ther, 2008. 31(3): p. 217-23 **[D4011]**
- 107. Morishita, Y., et al., The effects of the degenerative changes in the functional spinal unit on the kinematics of the cervical spine. Spine, 2008. 33(6): p. E178-82 {D4164}
- 108. Becker, A., et al., Effects of two guideline implementation strategies on patient outcomes in primary care: a cluster randomized controlled trial. Spine, 2008. 33(5): p. 473-80 {D4151}
- 109. Song, K.J., et al., *The efficacy of the modified classification system of soft tissue injury in extension injury of the lower cervical spine*. Spine, 2008. 33(15): p. E488-93 **[D4205]**
- 110. Haldeman, S., et al., *The empowerment of people with neck pain: introduction: the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders*. Spine, 2008. 33(4 Suppl): p. S8-S13 {D4132}
- 111. Rydevik, B., *ESJ: Expert comment on Number and cost of claims linked to minor cervical trauma*. Eur Spine J, 2008. 17(10): p. 1361 **{D4798}**
- 112. Busato, A., *ESJ: Expert comment on Number and cost of claims linked to minor cervical trauma (manuscript number: ESJO-D-07-00195R1, B. Soltermann et al.*). Eur Spine J, 2008. 17(10): p. 1360 {D4818}
- 113. Benoist, M., *ESJ: Expert comment on Number and cost of claims linked to minor cervical trauma (manuscript number: ESJO-D-07-00195R1, B. Soltermann et al.*). Eur Spine J, 2008. 17(10): p. 1358-9 {D4820}
- 114. Johnson, C., *Evidence-based practice in 5 simple steps*. J Manipulative Physiol Ther, 2008. 31(3): p. 169-70 {D4731}
- 115. Boyle, E., et al., *Examining vertebrobasilar artery stroke in two Canadian provinces*. Spine, 2008. 33(4 Suppl): p. S170-5 **[D4145]**
- 116. Helmhout, P.H., et al., Exercise therapy and low back pain: insights and proposals to improve the design, conduct, and reporting of clinical trials. Spine, 2008. 33(16): p. 1782-8 {D4209}
- 117. Holm, L.W., et al., *Expectations for recovery important in the prognosis of whiplash injuries*. PLoS Med, 2008. 5(5): p. e105 {D4482}
- 118. Masharawi, Y.M., et al., *Facet asymmetry in normal vertebral growth: characterization and etiologic theory of scoliosis*. Spine, 2008. 33(8): p. 898-902 **[D4174]**
- 119. Meseke, J.K., et al., *Facilitating the learning process: a pilot study of collaborative testing vs individualistic testing in the chiropractic college setting*. J Manipulative Physiol Ther, 2008. 31(4): p. 308-12 {D4715}
- 120. Keskin, D., Fibular collateral ligament-biceps femoris calcific bursitis causing flexion contracture in the knee, external rotation in the leg, and equinus deformity in the ankle. J Manipulative Physiol Ther, 2008. 31(3): p. 247-50 {D4726}
- 121. Gudavalli, S., et al., Foraminal stenosis with radiculopathy from a cervical disc herniation in a 33-year-old man treated with flexion distraction decompression manipulation. J Manipulative Physiol Ther, 2008. 31(5): p. 376-80 {D4740}
- 122. de Souza, M.V., et al., Force-displacement relationship during anteroposterior mobilization of the ankle joint. J Manipulative Physiol Ther, 2008. 31(4): p. 285-92 {D4745}
- 123. Schmitt, M.A., et al., Functional health status in subjects after a motor vehicle accident, with emphasis on whiplash associated disorders: design of a descriptive,

- *prospective inception cohort study*. BMC Musculoskelet Disord, 2008. 9(1): p. 168 **{D4410}**
- 124. Takayama, B., et al., Gene expression changes in dorsal root ganglion of rat experimental lumber disc herniation models. Spine, 2008. 33(17): p. 1829-35 {D4217}
- 125. Lynch, C.J., et al., *Glenoid hypoplasia: a report of 2 patients*. J Manipulative Physiol Ther, 2008. 31(5): p. 381-8 {D4720}
- 126. Vasavada, A.N., et al., *Head and neck anthropometry, vertebral geometry and neck strength in height-matched men and women.* J Biomech, 2008. 41(1): p. 114-21 {D4787}
- 127. Hill, R., et al., *Head repositioning accuracy to neutral: A comparative study of error calculation*. Man Ther, 2008: p. **{D4810}**
- 128. Siegmund, G.P., et al., *Head-turned postures increase the risk of cervical facet capsule injury during whiplash*. Spine, 2008. 33(15): p. 1643-9 **{D4489}**
- 129. Johnson, C., *Highlights of the basic components of evidence-based practice*. J Manipulative Physiol Ther, 2008. 31(2): p. 91-2 {**D4732**}
- 130. Hu, Y., et al., *Histologic and electrophysiological changes of the paraspinal muscle after spinal fusion: an experimental study.* Spine, 2008. 33(13): p. 1418-22 **[D4196]**
- 131. Hedenstierna, S., et al., How does a three-dimensional continuum muscle model affect the kinematics and muscle strains of a finite element neck model compared to a discrete muscle model in rear-end, frontal, and lateral impacts. Spine, 2008. 33(8): p. E236-45 {D4177}
- 132. Chien, A., et al., *Hypoaesthesia occurs with sensory hypersensitivity in chronic whiplash Further evidence of a neuropathic condition*. Man Ther, 2008: p. **{D4468}**
- 133. Chien, A., et al., Hypoesthesia occurs in acute whiplash irrespective of pain and disability levels and the presence of sensory hypersensitivity. Clin J Pain, 2008. 24(9): p. 759-66 {D4418}
- 134. van der Velde, G., et al., *Identifying the best treatment among common nonsurgical* neck pain treatments: a decision analysis. Spine, 2008. 33(4 Suppl): p. S184-91 {D4147}
- 135. Fernandez-Carnero, J., et al., *Immediate hypoalgesic and motor effects after a single cervical spine manipulation in subjects with lateral epicondylalgia*. J Manipulative Physiol Ther, 2008. 31(9): p. 675-81 {D4037}
- 136. Yang, J.Y., et al., *The impact of adjacent segment degeneration on the clinical outcome after lumbar spinal fusion*. Spine, 2008. 33(5): p. 503-7 {D4152}
- 137. Van Hoof, T., et al., *The impact of muscular variation on the neurodynamic test for the median nerve in a healthy population with Langer's axillary arch*. J Manipulative Physiol Ther, 2008. 31(6): p. 474-83 {D4702}
- 138. Gnat, R., et al., *Induced static asymmetry of the pelvis is associated with functional asymmetry of the lumbo-pelvo-hip complex*. J Manipulative Physiol Ther, 2008. 31(3): p. 204-11 {D4741}
- 139. Vangronsveld, K.L., et al., *The influence of fear of movement and pain catastrophizing on daily pain and disability in individuals with acute whiplash injury: a daily diary study.* Pain, 2008. 139(2): p. 449-57 **{D4476}**
- 140. Thomas, J.S., et al., *The influence of pain-related fear on peak muscle activity and force generation during maximal isometric trunk exertions*. Spine, 2008. 33(11): p. E342-8 {D4187}
- 141. Staal, J.B., et al., *Injection therapy for subacute and chronic low-back pain*. Cochrane Database Syst Rev, 2008(3): p. CD001824 **{D5102}**
- 142. Winkelstein, B.A., et al., An intact facet capsular ligament modulates behavioral sensitivity and spinal glial activation produced by cervical facet joint tension. Spine, 2008. 33(8): p. 856-62 {D4172}
- 143. Longmuir, G.A., et al., *Interexaminer reliability of t2-weighted magnetic resonance imaging for lumbar bright facet sign*. J Manipulative Physiol Ther, 2008. 31(8): p. 593-601 {D4722}
- 144. Ben-Galim, P.J., et al., *Internal decapitation: survival after head to neck dissociation injuries*. Spine, 2008. 33(16): p. 1744-9 {D4207}
- 145. Ostelo, R.W., et al., Interpreting change scores for pain and functional status in low back pain: towards international consensus regarding minimal important change.

  Spine, 2008. 33(1): p. 90-4 {D4109}
- 146. Hall, T.M., et al., *Intertester reliability and diagnostic validity of the cervical flexion-rotation test.* J Manipulative Physiol Ther, 2008. 31(4): p. 293-300 {D4013}
- 147. Weisskopf, M., et al., *Intravertebral pressure during vertebroplasty and balloon kyphoplasty: an in vitro study.* Spine, 2008. 33(2): p. 178-82 **{D4116}**

148. Vernon, H., *Introduction to cervical outcomes measures: state of the art.* J Manipulative Physiol Ther, 2008. 31(7): p. 489 **{D4700}** 

- 149. Cassidy, J.D., et al., *Is it time for a population health approach to neck pain?* J Manipulative Physiol Ther, 2008. 31(6): p. 442-6 {D4750}
- 150. Mikkonen, P., et al., Is smoking a risk factor for low back pain in adolescents? A prospective cohort study. Spine, 2008. 33(5): p. 527-32 {D4153}
- 151. Hawk, C., et al., *Issues in conducting research in chiropractic college clinics*. J Manipulative Physiol Ther, 2008. 31(4): p. 301-7 **[D4736]**
- 152. Jarvis, J., et al., *Juvenile idiopathic scoliosis: the effectiveness of part-time bracing*. Spine, 2008. 33(10): p. 1074-8 **[D4183]**
- 153. Johnson, C., *Keeping a critical eye on chiropractic*. J Manipulative Physiol Ther, 2008. 31(8): p. 559-61 **{D4734}**
- 154. Miyazaki, M., et al., *Kinematic analysis of the relationship between the grade of disc degeneration and motion unit of the cervical spine*. Spine, 2008. 33(2): p. 187-93 {D4118}
- 155. Lewis, C., et al., *Kyphoscoliosis improvement while treating a patient for adhesive capsulitis using the active therapeutic movement version 2*. J Manipulative Physiol Ther, 2008. 31(9): p. 715-22 {D4723}
- 156. Keshari, K.R., et al., *Lactic acid and proteoglycans as metabolic markers for discogenic back pain*. Spine, 2008. 33(3): p. 312-7 {D4214}
- 157. Poorbaugh, K., et al., *Late whiplash syndrome: a clinical science approach to evidence-based diagnosis and management*. Pain Pract, 2008. 8(1): p. 65-87; quiz 88-9 {D4481}
- 158. Cameron, I.D., et al., Legislative change is associated with improved health status in people with whiplash. Spine, 2008. 33(3): p. 250-4 {D4493}
- 159. Cook, K.F., et al., Letting the CAT out of the bag: comparing computer adaptive tests and an 11-item short form of the Roland-Morris Disability Questionnaire. Spine, 2008. 33(12): p. 1378-83 {D4192}
- 160. Triano, J.J., Literature syntheses for the Council on Chiropractic Guidelines and Practice Parameters: methodology. J Manipulative Physiol Ther, 2008. 31(9): p. 645-50 {D4034}
- 161. Harrop, J.S., et al., Lumbar adjacent segment degeneration and disease after arthrodesis and total disc arthroplasty. Spine, 2008. 33(15): p. 1701-7 {D4204}
- 162. Myran, R., et al., Magnetic resonance imaging assessment of the alar ligaments in whiplash injuries: a case-control study. Spine, 2008. 33(18): p. 2012-6 {D4239}
- 163. Cook, C., et al., *Manual therapy provided by physical therapists in a hospital-based setting: a retrospective analysis*. J Manipulative Physiol Ther, 2008. 31(5): p. 338-43 {D4747}
- 164. Grimmer-Somers, K., et al., *Measurement of cervical posture in the sagittal plane*. J Manipulative Physiol Ther, 2008. 31(7): p. 509-17 **[D4022]**
- 165. Khorsan, R., et al., *Measures in chiropractic research: choosing patient-based outcome assessments*. J Manipulative Physiol Ther, 2008. 31(5): p. 355-75 {**D4016**}
- 166. Graham, N., et al., *Mechanical traction for neck pain with or without radiculopathy*. Cochrane Database Syst Rev, 2008(3): p. CD006408 **{D5092}**
- 167. Carroll, L.J., et al., Methods for the best evidence synthesis on neck pain and its associated disorders: the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S33-8 {D4135}
- 168. Zou, J., et al., *Missed lumbar disc herniations diagnosed with kinetic magnetic resonance imaging*. Spine, 2008. 33(5): p. E140-4 {**D4158**}
- 169. Magnusson, M.L., et al., *Motor control learning in chronic low back pain*. Spine, 2008. 33(16): p. E532-8 {D4212}
- 170. Dishman, J.D., et al., *Motor-evoked potentials recorded from lumbar erector spinae muscles: a study of corticospinal excitability changes associated with spinal manipulation*. J Manipulative Physiol Ther, 2008. 31(4): p. 258-70 **[D4744]**
- 171. Vetti, N., et al., MRI of the alar and transverse ligaments in whiplash-associated disorders (WAD) grades 1-2: high-signal changes by age, gender, event and time since trauma. Neuroradiology, 2008: p. {D4472}
- 172. Elliott, J., et al., MRI study of the cross-sectional area for the cervical extensor musculature in patients with persistent whiplash associated disorders (WAD). Man Ther, 2008. 13(3): p. 258-65 {D4463}
- 173. Sturzenegger, M., et al., *MRI-based brain volumetry in chronic whiplash patients: no evidence for traumatic brain injury*. Acta Neurol Scand, 2008. 117(1): p. 49-54 {D4401}

174. van der Wees, P.J., et al., *Multifaceted strategies may increase implementation of physiotherapy clinical guidelines: a systematic review*. Aust J Physiother, 2008. 54(4): p. 233-41 {D4789}

- 175. Kumarathurai, P., et al., *Muscular tenderness in the anterior chest wall in patients with stable angina pectoris is associated with normal myocardial perfusion*. J Manipulative Physiol Ther, 2008. 31(5): p. 344-7 {D4725}
- 176. Vernon, H., *The Neck Disability Index: state-of-the-art, 1991-2008*. J Manipulative Physiol Ther, 2008. 31(7): p. 491-502 **[D4020]**
- 177. Johnston, V., et al., *Neck movement and muscle activity characteristics in female office workers with neck pain*. Spine, 2008. 33(5): p. 555-63 **{D4155}**
- 178. Bremerich, F.H., et al., *The Neck Pain and Disability Scale: cross-cultural adaptation into German and evaluation of its psychometric properties in chronic neck pain and C1-2 fusion patients*. Spine, 2008. 33(9): p. 1018-27 **[D4182]**
- 179. Kivioja, J., et al., Neither the WAD-classification nor the Quebec Task Force follow-up regimen seems to be important for the outcome after a whiplash injury. A prospective study on 186 consecutive patients. Eur Spine J, 2008. 17(7): p. 930-5 {D4442}
- 180. Sterling, M., et al., A neuropathic pain component is common in acute whiplash and associated with a more complex clinical presentation. Man Ther, 2008: p. {D4467}
- 181. Guzman, J., et al., A new conceptual model of neck pain: linking onset, course, and care: the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S14-23 {D4133}
- 182. Roelofs, P.D., et al., *Nonsteroidal anti-inflammatory drugs for low back pain: an updated Cochrane review.* Spine, 2008. 33(16): p. 1766-74 {**D4208**}
- 183. Liu, P., et al., A novel operative approach for the treatment of old distractive flexion injuries of subaxial cervical spine. Spine, 2008. 33(13): p. 1459-64 {D4198}
- 184. Chappuis, G., et al., Number and cost of claims linked to minor cervical trauma in Europe: results from the comparative study by CEA, AREDOC and CEREDOC. Eur Spine J, 2008. 17(10): p. 1350-7 {D4817}
- 185. Leach, R.A., et al., *Nutrition and youth soccer for childhood overweight: a pilot novel chiropractic health education intervention*. J Manipulative Physiol Ther, 2008. 31(6): p. 434-41 **[D4724]**
- 186. Cook, C., et al., Observer agreement of spine stenosis on magnetic resonance imaging analysis of patients with cervical spine myelopathy. J Manipulative Physiol Ther, 2008. 31(4): p. 271-6 {D4748}
- 187. Shearer, H.M., et al., *Ontario chiropractors' knowledge, attitudes, and beliefs about intimate partner violence among their patients: a cross-sectional survey.* J Manipulative Physiol Ther, 2008. 31(6): p. 424-33 **[D4705]**
- 188. Mathov, S.H., et al., *Osteosarcoma of the hand: a rare case for radiographic appearance, location, and age.* J Manipulative Physiol Ther, 2008. 31(2): p. 164-7 {D4718}
- 189. Johnson, C., *Outcome measures for research and clinical practice*. J Manipulative Physiol Ther, 2008. 31(5): p. 329-30 **[D4730]**
- 190. Dewing, C.B., et al., *The outcomes of lumbar microdiscectomy in a young, active population: correlation by herniation type and level.* Spine, 2008. 33(1): p. 33-8 **[D4103]**
- 191. Hartvigsen, J., et al., *Pain in the back and neck are with us until the end: a nationwide interview-based survey of Danish 100-year-olds*. Spine, 2008. 33(8): p. 909-13 **{D4175}**
- 192. Rasmussen, H.R., et al., *Pain perception in patients with intermittent low back pain*. J Manipulative Physiol Ther, 2008. 31(2): p. 127-9 {D4005}
- 193. Haines, T., et al., *Patient education for neck pain with or without radiculopathy*. Cochrane Database Syst Rev, 2008(4): p. CD005106 **[D4813]**
- 194. Johnson, C., *Peer review and manuscript processes for the journal of manipulative and physiological therapeutics.* J Manipulative Physiol Ther, 2008. 31(4): p. 255-6 {D4733}
- 195. Nath, S., et al., Percutaneous lumbar zygapophysial (Facet) joint neurotomy using radiofrequency current, in the management of chronic low back pain: a randomized double-blind trial. Spine, 2008. 33(12): p. 1291-7; discussion 1298 {D4189}
- 196. Mior, S.A., et al., *Personal and practice predictors associated with the income of Ontario chiropractors*. J Manipulative Physiol Ther, 2008. 31(4): p. 277-84 **[D4012]**
- 197. Sterling, M., et al., *Physical and psychological aspects of whiplash: Important considerations for primary care assessment.* Man Ther, 2008. 13(2): p. 93-102 {D4466}

198. Sterling, M., *Physical and psychological aspects of whiplash: Important considerations for primary care assessment, Part 2 - Case studies.* Man Ther, 2008: p. {D4465}

- 199. Fritz, J.M., et al., *Physical therapy for acute low back pain: associations with subsequent healthcare costs.* Spine, 2008. 33(16): p. 1800-5 **[D4211]**
- 200. Rovner, J., et al., *Pigmented villonodular synovitis of the zygoapophyseal joint: a case report.* Spine, 2008. 33(18): p. E656-8 {D4242}
- 201. Rowell, R.M., et al., *A pilot mixed methods study of patient satisfaction with chiropractic care for back pain*. J Manipulative Physiol Ther, 2008. 31(8): p. 602-10 {D4033}
- 202. Carstensen, T.B., et al., *Post-trauma ratings of pre-collision pain and psychological distress predict poor outcome following acute whiplash trauma: a 12-month follow-up study.* Pain, 2008. 139(2): p. 248-59 {D4477}
- 203. Boucher, P., et al., *Postural control in people with osteoarthritis of the cervical spine*. J Manipulative Physiol Ther, 2008. 31(3): p. 184-90 **[D4008]**
- 204. Stude, D.E., et al., *Practice behaviors, attitudes, musculoskeletal complaints, and previous exposure to chiropractic care in a group of recreational golfers*. J Manipulative Physiol Ther, 2008. 31(4): p. 313-8 {D4704}
- 205. Gutke, A., et al., *Predicting persistent pregnancy-related low back pain*. Spine, 2008. 33(12): p. E386-93 {D4194}
- 206. Thiel, H.W., et al., *Predictors for immediate and global responses to chiropractic manipulation of the cervical spine*. J Manipulative Physiol Ther, 2008. 31(3): p. 172-83 {D4007}
- 207. Rubinstein, S.M., et al., *Predictors of a favorable outcome in patients treated by chiropractors for neck pain*. Spine, 2008. 33(13): p. 1451-8 {D4541}
- 208. Rubinstein, S.M., et al., *Predictors of adverse events following chiropractic care for patients with neck pain*. J Manipulative Physiol Ther, 2008. 31(2): p. 94-103 **[D4003]**
- 209. van Kessel-Cobelens, A.M., et al., *Pregnancy-related pelvic girdle pain: intertester reliability of 3 tests to determine asymmetric mobility of the sacroiliac joints*. J Manipulative Physiol Ther, 2008. 31(2): p. 130-6 {D4701}
- 210. Cote, P., et al., *The prevalence and incidence of work absenteeism involving neck pain: a cohort of Ontario lost-time claimants*. Spine, 2008. 33(4 Suppl): p. S192-8 {D4148}
- 211. Mody, M.G., et al., *The prevalence of wrong level surgery among spine surgeons*. Spine, 2008. 33(2): p. 194-8 **(D4119)**
- 212. Sran, M.M., et al., *Preventing fall-related vertebral fractures: effect of floor stiffness on peak impact forces during backward falls*. Spine, 2008. 33(17): p. 1856-62 **[D4221]**
- 213. Meseke, C.A., et al., *Principal components analysis of the atlas vertebra*. J Manipulative Physiol Ther, 2008. 31(3): p. 212-6 {D4717}
- 214. Holtzman, D.A., et al., *Prospective case series on the effects of lumbosacral manipulation on dysmenorrhea*. J Manipulative Physiol Ther, 2008. 31(3): p. 237-46 {D4735}
- 215. Sokolowski, M.J., et al., *Prospective study of postoperative lumbar epidural hematoma: incidence and risk factors*. Spine, 2008. 33(1): p. 108-13 **[D4112]**
- 216. Cote, P., et al., Protocol of a randomized controlled trial of the effectiveness of physician education and activation versus two rehabilitation programs for the treatment of Whiplash-associated Disorders. The University Health Network Whiplash Intervention Trial. Trials, 2008. 9(1): p. 75 {D4496}
- 217. Sterling, M., et al., *Psychologic factors are related to some sensory pain thresholds but not nociceptive flexion reflex threshold in chronic whiplash*. Clin J Pain, 2008. 24(2): p. 124-30 {D4420}
- 218. van der Windt, D., et al., *Psychosocial interventions for low back pain in primary care: lessons learned from recent trials.* Spine, 2008. 33(1): p. 81-9 {D4108}
- 219. Olmarker, K., Puncture of a lumbar intervertebral disc induces changes in spontaneous pain behavior: an experimental study in rats. Spine, 2008. 33(8): p. 850-5 {D4171}
- 220. Adams, J., et al., *Qualitative methods in chiropractic research: one framework for future inquiry*. J Manipulative Physiol Ther, 2008. 31(6): p. 455-60 {D4752}
- 221. Simpson, A.K., et al., Quantifying the effects of age, gender, degeneration, and adjacent level degeneration on cervical spine range of motion using multivariate analyses. Spine, 2008. 33(2): p. 183-6 {D4117}

222. Friedman, B.W., et al., *A randomized placebo-controlled trial of single-dose im corticosteroid for radicular low back pain*. Spine, 2008. 33(18): p. E624-9 **[D4240]** 

- 223. Tavafian, S.S., et al., A randomized study of back school in women with chronic low back pain: quality of life at three, six, and twelve months follow-up. Spine, 2008. 33(15): p. 1617-21 {D4201}
- 224. Bereznick, D.E., et al., *The refractory period of the audible "crack" after lumbar manipulation: a preliminary study*. J Manipulative Physiol Ther, 2008. 31(3): p. 199-203 {D4010}
- 225. Miyauchi, A., et al., *Relationship between the histological findings of spondylolytic tissue, instability of the loose lamina, and low back pain*. Spine, 2008. 33(6): p. 687-93 {D4162}
- 226. Edmondston, S.J., et al., *Reliability of isometric muscle endurance tests in subjects with postural neck pain*. J Manipulative Physiol Ther, 2008. 31(5): p. 348-54 {D4015}
- 227. Lurie, J.D., et al., Reliability of magnetic resonance imaging readings for lumbar disc herniation in the Spine Patient Outcomes Research Trial (SPORT). Spine, 2008. 33(9): p. 991-8 {D4181}
- 228. Apeldoorn, A.T., et al., *The reliability of nonorganic sign-testing and the Waddell score in patients with chronic low back pain*. Spine, 2008. 33(7): p. 821-6 **{D4169}**
- 229. Lurie, J.D., et al., *Reliability of readings of magnetic resonance imaging features of lumbar spinal stenosis*. Spine, 2008. 33(14): p. 1605-10 {D4200}
- 230. Kellis, E., et al., *Reliability of spinal range of motion in healthy boys using a skin-surface device*. J Manipulative Physiol Ther, 2008. 31(8): p. 570-6 {D4727}
- 231. Gilbert, J.W., et al., Repeat upright positional magnetic resonance imaging for diagnosis of disorders underlying chronic noncancer lumbar pain. J Manipulative Physiol Ther, 2008. 31(8): p. 627-31 {D4742}
- 232. Hoogendoorn, R.J., et al., *Reproducible long-term disc degeneration in a large animal model*. Spine, 2008. 33(9): p. 949-54 {D4179}
- 233. Carroll, L.J., et al., Research priorities and methodological implications: the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders.

  Spine, 2008. 33(4 Suppl): p. S214-20 {D4150}
- 234. Belavy, D.L., et al., Resistive simulated weightbearing exercise with whole body vibration reduces lumbar spine deconditioning in bed-rest. Spine, 2008. 33(5): p. E121-31 {D4157}
- 235. Wang, J.L., et al., Rest cannot always recover the dynamic properties of fatigue-loaded intervertebral disc. Spine, 2008. 33(17): p. 1863-9 {D4221}
- 236. Cassidy, J.D., et al., *Risk of vertebrobasilar stroke and chiropractic care: results of a population-based case-control and case-crossover study*. Spine, 2008. 33(4 Suppl): p. S176-83 {D4146}
- 237. Tang, J.G., et al., *The role of capsaicin-sensitive primary afferents in experimental sciatica induced by disc herniation in rats.* Spine, 2008. 33(2): p. 163-8 {D4115}
- 238. Stroyer, J., et al., The role of physical fitness as risk indicator of increased low back pain intensity among people working with physically and mentally disabled persons: a 30-month prospective study. Spine, 2008. 33(5): p. 546-54 {D4154}
- 239. Butler, R.J., et al., *Satisfaction with low back pain care*. Spine J, 2008. 8(3): p. 510-21 {D4550}
- 240. Myburgh, C., et al., Secondary legitimacy: a key mainstream health care inclusion strategy for the Danish chiropractic profession? J Manipulative Physiol Ther, 2008. 31(5): p. 392-5 {D4712}
- 241. Marshall, P., et al., Self-report measures best explain changes in disability compared with physical measures after exercise rehabilitation for chronic low back pain. Spine, 2008. 33(3): p. 326-38 {D4125}
- 242. Pereira, M.J., et al., Self-reported driving habits in subjects with persistent whiplash-associated disorder: relationship to sensorimotor and psychologic features. Arch Phys Med Rehabil, 2008. 89(6): p. 1097-102 {D4407}
- 243. Reardon, R., et al., Self-study of values, beliefs, and conflict of interest: the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders.

  Spine, 2008. 33(4 Suppl): p. S24-32 {D4134}
- 244. Sjolander, P., et al., Sensorimotor disturbances in chronic neck pain--range of motion, peak velocity, smoothness of movement, and repositioning acuity. Man Ther, 2008. 13(2): p. 122-31 {D4795}
- 245. Treleaven, J., Sensorimotor disturbances in neck disorders affecting postural stability, head and eye movement control. Man Ther, 2008. 13(1): p. 2-11 {D4790}

246. Treleaven, J., Sensorimotor disturbances in neck disorders affecting postural stability, head and eye movement control--Part 2: case studies. Man Ther, 2008. 13(3): p. 266-75 {D4791}

- 247. Yeh, C.C., et al., Shoulder tip pain after laparoscopic surgery analgesia by collateral meridian acupressure (shiatsu) therapy: a report of 2 cases. J Manipulative Physiol Ther, 2008. 31(6): p. 484-8 {D4699}
- 248. Han, B., et al., A simple disc degeneration model induced by percutaneous needle puncture in the rat tail. Spine, 2008. 33(18): p. 1925-34 {D4235}
- 249. Marchiori, D.M., et al., *Social communication skills of chiropractors: implications for professional practice*. J Manipulative Physiol Ther, 2008. 31(9): p. 682-9 {D4719}
- 250. Merskey, H., *Social influences on the concept of fibromyalgia*. CNS Spectr, 2008. 13(3 Suppl 5): p. 18-21 {D4803}
- 251. Christensen, S.T., et al., Spinal curves and health: a systematic critical review of the epidemiological literature dealing with associations between sagittal spinal curves and health. J Manipulative Physiol Ther, 2008. 31(9): p. 690-714 {D4038}
- 252. Haneline, M.T., et al., *Spinal motion palpation: a comparison of studies that assessed intersegmental end feel vs excursion*. J Manipulative Physiol Ther, 2008. 31(8): p. 616-26 **{D4738}**
- 253. Schneider, M., et al., *Spinal palpation for lumbar segmental mobility and pain provocation: an interexaminer reliability study*. J Manipulative Physiol Ther, 2008. 31(6): p. 465-73 {D4706}
- 254. Pearson, A.M., et al., SPORT lumbar intervertebral disk herniation and back pain: does treatment, location, or morphology matter? Spine, 2008. 33(4): p. 428-35 {D4128}
- 255. Hallgren, R.C., et al., *A standardized protocol for needle placement in suboccipital muscles*. Clin Anat, 2008. 21(6): p. 501-8 {D4812}
- 256. Field, S., et al., Standing balance: a comparison between idiopathic and whiplash-induced neck pain. Man Ther, 2008. 13(3): p. 183-91 {D4464}
- 257. Harth, M., *Stopping late whiplash: which way to utopia?* J Rheumatol, 2008. 35(12): p. 2303-5 {D4461}
- 258. Meseke, C.A., et al., *Student course performance and collaborative testing: a prospective follow-on study*. J Manipulative Physiol Ther, 2008. 31(8): p. 611-5 **(D4716)**
- 259. Abbassian, A., et al., Subacromial impingement in patients with whiplash injury to the cervical spine. J Orthop Surg, 2008. 3: p. 25 {D4456}
- 260. Cho, C.Y., Survey of faulty postures and associated factors among Chinese adolescents. J Manipulative Physiol Ther, 2008. 31(3): p. 224-9 [D4749]
- 261. Kleweno, C.P., et al., Survival after concurrent traumatic dislocation of the atlanto-occipital and atlanto-axial joints: a case report and review of the literature. Spine, 2008. 33(18): p. E659-62 {D4243}
- 262. Pantazis, G., et al., Symptomatic ossification of the ligamentum flavum at the lumbar spine: a retrospective study. Spine, 2008. 33(3): p. 306-11 {D4124}
- 263. Williamson, E., et al., A systematic literature review of psychological factors and the development of late whiplash syndrome. Pain, 2008. 135(1-2): p. 20-30 {D4480}
- 264. Hockings, R.L., et al., A systematic review of the predictive ability of the Orebro Musculoskeletal Pain Questionnaire. Spine, 2008. 33(15): p. E494-500 {D4206}
- 265. Hulse, M., et al., [Temporomandibular joint dysfunction. A consequence of whiplash-injury]. HNO, 2008. 56(11): p. 1114-21 {D4445}
- 266. Kallakuri, S., et al., *Tensile stretching of cervical facet joint capsule and related axonal changes*. Eur Spine J, 2008. 17(4): p. 556-63 {D4805}
- 267. Sterling, M., *Testing for sensory hypersensitivity or central hyperexcitability associated with cervical spine pain*. J Manipulative Physiol Ther, 2008. 31(7): p. 534-9 **[D4030]**
- 268. Hwang, H., et al., *Threshold cervical range-of-motion necessary to detect abnormal intervertebral motion in cervical spine radiographs*. Spine, 2008. 33(8): p. E261-7 {D4178}
- Weiner, B.K., et al., Towards the reduction of medication errors in orthopedics and spinal surgery: outcomes using a pharmacist-led approach. Spine, 2008. 33(1): p. 104-7 {D4111}
- 270. Roubal, P.J., et al., *Translational manipulation after failed arthroscopic capsular release for recalcitrant adhesive capsulitis: a case report.* J Manipulative Physiol Ther, 2008. 31(8): p. 632-6 {D4709}
- 271. Ashaye, A.O., *Traumatic hyphaema: a report of 472 consecutive cases*. BMC Ophthalmol, 2008. 8: p. 24 {D4821}

272. Carragee, E.J., et al., *Treatment of neck pain: injections and surgical interventions:* results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders. Spine, 2008. 33(4 Suppl): p. S153-69 {D4144}

- 273. Hurwitz, E.L., et al., *Treatment of neck pain: noninvasive interventions: results of the Bone and Joint Decade 2000-2010 Task Force on Neck Pain and Its Associated Disorders*. Spine, 2008. 33(4 Suppl): p. S123-52 {D4143}
- 274. Julian, M.R., *Treatment of paroxysmal supraventricular tachycardia using* instrument-assisted manipulation of the fourth rib: a 6-year case study. J Manipulative Physiol Ther, 2008. 31(5): p. 389-91 {D4728}
- 275. Yamashita, M., et al., *Tumor necrosis factor-alpha in the nucleus pulposus mediates radicular pain, but not increase of inflammatory peptide, associated with nerve damage in mice.* Spine, 2008. 33(17): p. 1836-42 **[D4218]**
- 276. Naqui, S.Z., et al., *Underestimation of severity of previous whiplash injuries*. Ann R Coll Surg Engl, 2008. 90(1): p. 51-3 {D4403}
- 277. Hallgren, R.C., et al., *Undershooting of a neutral reference position by asymptomatic subjects after cervical motion in the sagittal plane*. J Manipulative Physiol Ther, 2008. 31(7): p. 547-52 {D4739}
- 278. Buchbinder, R., et al., Understanding the characteristics of effective mass media campaigns for back pain and methodological challenges in evaluating their effects. Spine, 2008. 33(1): p. 74-80 {D4107}
- 279. Elliott, J.M., et al., *Upper cervical ligamentous disruption in a patient with persistent whiplash associated disorders*. J Orthop Sports Phys Ther, 2008. 38(6): p. 377 **[D4455]**
- 280. Harrison, D.E., et al., *Upright static pelvic posture as rotations and translations in* 3-dimensional from three 2-dimensional digital images: validation of a computerized analysis. J Manipulative Physiol Ther, 2008. 31(2): p. 137-45 {D4737}
- 281. Johnston, B.C., et al., The use of expertise-based randomized controlled trials to assess spinal manipulation and acupuncture for low back pain: a systematic review. Spine, 2008. 33(8): p. 914-8 {D4176}
- 282. Zhang, R., et al., *Use of percutaneous vertebroplasty for intractable back pain associated with compression fracture in an 80-year-old female*. J Manipulative Physiol Ther, 2008. 31(4): p. 319-22 {D4698}
- 283. Picavet, H.S., et al., *Utilization of health resources due to low back pain: survey and registered data compared.* Spine, 2008. 33(4): p. 436-44 {D4129}
- 284. Nassr, A., et al., *Variations in surgical treatment of cervical facet dislocations*. Spine, 2008. 33(7): p. E188-93 **[D4170]**
- 285. Neo, M., et al., *Vertebral artery injury during cervical spine surgery: a survey of more than 5600 operations*. Spine, 2008. 33(7): p. 779-85 **{D4167}**
- 286. Triano, J.J., *What constitutes evidence for best practice?* J Manipulative Physiol Ther, 2008. 31(9): p. 637-43 {D4703}
- 287. Chien, A., et al., Whiplash (grade II) and cervical radiculopathy share a similar sensory presentation: an investigation using quantitative sensory testing. Clin J Pain, 2008. 24(7): p. 595-603 {D4419}
- 288. Ivancic, P.C., et al., *Whiplash causes increased laxity of cervical capsular ligament*. Clin Biomech (Bristol, Avon), 2008. 23(2): p. 159-65 {D4417}
- 289. Jansen, G.B., et al., Whiplash injuries: diagnosis and early management. The Swedish Society of Medicine and the Whiplash Commission Medical Task Force. Eur Spine J, 2008. 17 Suppl 3: p. S355-8 {D4440}
- 290. Russell, A., *Whiplash: social interventions and solutions*. J Rheumatol, 2008. 35(12): p. 2300-2 {D4462}